

Produced and published by the Louisiana Geological Survey 3079 Energy, Coast & Environment Building, Louisiana State University Baton Rouge, LA 70803 • 225/578-5320 • www.lgs.lsu.edu

This geologic map was funded in part by the USGS National Cooperative Geologic Mapping Program under StateMap award number G14AC00222, 2014. Copyright ©2015 by the Louisiana Geological Survey

Roads: HERE, ©2013-2014

Names: GNIS, 2015 Hydrography: National Hydrography Dataset, 2013 Contours: National Elevation Dataset, 2008

Geology by: Paul V. Heinrich and Richard P. McCulloh

GIS Compilers: R. Hampton Peele, Richard P. McCulloh, Paul V. Heinrich, Mallory N. Thomas

Cartography by: Lisa Pond and Robert Paulsell



Westlake 7.5 Minute Geologic Quadrangle Open File Series 2015-03





1 MILE 1 KILOMETER





Director & State Geologist

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the U.S. Government or the state of Louisiana.

This map has been carefully prepared from the best existing sources available at the time of preparation. However, the Louisiana Geological Survey and Louisiana State University do not assume responsibility or liability for any reliance thereon. This information is provided with the understanding that it is not guaranteed to be correct or complete, and conclusions drawn from such data are the sole responsibility of the user. These regional geologic quadrangles are intended for use at the scale of 1:24,000. A detailed on-the-ground survey and analysis of a specific site may differ from these maps.

Description of Map Units

QUATERNARY SYSTEM

HOLOCENE

Holocene undifferentiated alluvium—undifferentiated deposits of small upland streams: alluvial deposits of minor streams and creeks, of varying textures, filling valleys

Small river deposits, undifferentiated—undifferentiated alluvial deposits consisting of natural levee, overbank, and abandoned channel sediments within the river valley.

PLEISTOCENE PRAIRIE ALLOGROUP

Beaumont Alloformation—coastal-plain deposits of late to middle Pleistocene streams, forming the oldest and topographically highest of the Prairie surfaces of southwestern Louisiana. The surface exhibits relict channels of the Red and Calcasieu River, and in adjoining quadrangles to the north the unit includes deposits of the Ingleside barrier trend (Houston Ridge).

Relict Pleistocene barrier ridge-alluvial remnants delineated on portions of the

Normal fault-Identity and existence certain, location accurate. Ball and bar on Concealed fault-Identity and existence certain, location concealed. Ball and bar on

Correlation of Map Units